Hopkins Center for AIDS Research						
Open Studies						
Last updated: 7/24/23						
Study Name	Purpose	Criteria	Hopkins Patients Only?	Contact Number	Contact Person	
		HIV				
Selgantolimod Study (ACTG 5394)	To investigate a new therapy for hepatitis B for people with both hepatitis B and HIV	Adults ages 18-70 living with HIV and hepatitis B, on HIV and HBV meds for over 5 years, undetectable viral loads for both HIV and HBV	Ν	410-955-7538	Ask for Study 5394	
TAF Study	To study the effects of aging on the metabolism of tenofovir (TAF)	Adults ages 18-50 or 65-80 and living with HIV, willing to undergo rectal biopsy, undetectabe viral load for 6 months, taking a TAF-containing regimen (Descovy, Biktarvy, Symtuza, Genvoya, Odefsey)	Ν	443-287-7156	Ask for TAF study	
ALIVE	To follow current and former injection drug users over time	Adults ages 18 and older, has injected drugs	N	410-955-7510	Ask for ALIVE study	
IMPACT Study	To understand how HIV affects the brain and leads to difficulties with mental abilities	Adults ages 30-70 living with or without HIV, have an undectable viral load	N	443-326-1965	Ask for IMPACT study	
COC4 Study	To study brain imaging with MRI in PLWH.	Adults ages 30-90 living with HIV, have an undetectable viral load, and are not using recreational substances of abuse	N	410-955-7311	Leah Rubin	
OWEL Cancer Education and Awareness Program	To understand the impact of a virtual educational intervention for breast and cervical cancer, on participants' cancer literacy	Self-identify as female; living with HIV; ages 18 and older; able to read and write in English	N	667-306-8724 667-306-8725	Joy Chepkorir	
The Do IT Study (ACTG 5391)	To find out if people living with HIV who had >10% weight gain after starting an intiretroviral therapy regimen that included an integrase inhibitor in comination with TAF/FTC or TAF/3TC could gain less weight, or even lose weight, after switching to a different regimen	Women ages 18 and older who are living with HIV and not pregnant; >10% weight gain while taking an integrase inhibitor; be willing to possibly change ART regimen	Ν	410-955-2898	Ask for Study 5391	
SHARE Study	To study HIV infections and HIV therapies over a lifetime. (This is NOT a treatment study; no experimental medicines are given.)	Men living with or without HIV; ages 30-70	N	410-955-7090 866-392-8991	Ask for SHARE Study	
PROSPER Study	To study how the integration of the treatment of mental health and substance use disorder (SUD) into primary care settings can effectively treat depression, anxiety, and SUD	Adults living with HIV; not taking mental health or substance use disorder medications	Y	410-401-9900	Tarfa Verinumbe Grace Lee Agha Mirza Sabiha Chowdhuri	
Vancomycin Study	To learn more about allergies to the antiobiotic Vancomycin	Adults living with or without HIV; history of vancomycin use in the past five years	Ν	410-614-2724	Sandra Massih	
SHARP Women	To assist women in making healthy life choices	Adult women living with or without HIV who have had more than 3 drinks containing alcohol on one occasion in last 3 months	N	410-935-7698	Ask for SHARP Women study	

COVID Recovery	To follow the symptoms of COVID with interview/surveys and blood draws	Adults who are living with or without HIV who have NOT tested positive for COVID	N	443-961-4681 COVIDRecovery@jhmi.edu	Ask for COVID study
1More Step	To hear how women are coping with HIV by participation in interviews and focus groups	Adult black cisgender women who are living with HIV	Ν	443-681-8277	Ask for 1More Step study
EHPOC Study	To learn more about a new technology to detect HIV and syphilis	Adults ages 18 and older who are living with or without HIV and are at risk for sexually transmitted diseases	N	443-540-0718 443-540-0560	Ask for Research Study
The Positively Quit Study	To support patients in their efforts to quit smoking through an online support group	Adults ages 18 and older who are living with HIV, cigarette smoker	Ν	813-586-4144 positivelyQuit@usf.edu	Brittani Powell
HIV NASH	To determine the prevalence of hepatic steatosis (fatty liver) in people living with HIV	Adults who are living with HIV, do not have hepatitis B or C, taking ART for > 6 months	Ν	410-955-7538	Ask for HIV NASH study
RE-AIM RESTORE	To improve the RESTORE program based on patient feedback	Bartlett Clinic patients who have used drugs in the past or currently use drugs	Y	443-297-9375	Ask for RE-AIM RESTORE
HIV Fatigue Study	To study energy and fat metabolism in the leg with MRI to determine how these factors impact the ability to walk and perform exercise and daily activities in people 60 years and older	Adults ages 45 and over who are living with HIV, able to walk without cane/walker, stable ART, undetectable viral load	Ν	410-955-1160	Ask for Fatigue Study
BRAIN Study	To study brain imaging with MRI in people living with HIV	Adults ages 30-80 who are living with HIV, have suppressed viral load, not using recreational substances of abuse, and have no history of psychosis	N	443-799-7247 410-746-6072	Jason Creighton Dr. Jennifer Coughlin
AIDS Malignancy Consortium Studies	To investigate new treatments and prevention interventions for malignancies in people living with HIV (specifically lymphoma and Kaposi Sarcoma)	Adults ages 18 and older living with HIV and have lymphoma or Kaposi Sarcoma	N	410-502-5396	Laura Clark
Ms. SCORE	To find out how short-term administration of a low dose stress hormone influences memory and other mental abilities in women living with HIV/AIDS.	Women ages 18-65 living with HIV	Ν	443-447-5312	Isabel Santiuste Sarah Kanner
Heart Study (Univ of Maryland Medical Center)	To study the effects of cocaine use and/or HIV infection on the heart, brain, and other parts of the body	Adults ages 18 and older who are living with or without HIV, use cocaine or don't use cocaine	Ν	410-706-4696 HeartStudy@IHV.UMaryland.edu	Tanya Johnson
HIV Outcomes Study	Observational study to help better understand how treatment in medical care affects the course of HIV infection	Adults ages 18 and over living with HIV and enrolled in medical care with an HIV provider in the Hopkins Barlett Clinic on or after 1/1/14	Y	410-955-6415 410-955-9872	Keyera Anderson Stacey Reese
LATITUDE Study (ACTG 5359)	To compare long-acting injectable to Standard of Care oral ART in previously non-adherent patients. Looking for volunteers to participate in a research study to determine if a new treatment regimen will be easier for you to follow. Participation in the study will be 2 to 3 years, HIV medications will be provided, will receive compensation and incentives	Adults ages 18 and older living with HIV, willing to take medicine by injection, history of missing clinic appointments or have an HIV viral load of 200 or greater, not pregnant or breast feeding	Ν	410-955-2898	Ask for Study 5359

MRI Study	To study heart vessel function using MRI to learn about the association between inflammation and increased risk of cardiovascular disease. No contrast or medications given.	Healthy non-smoking adults ages 21 and older <u>OR</u> Non- smoking adults ages 21 and older who are living with HIV <u>OR</u> Non-smoking women ages 18-50 who have given birth in the last 4 months	N	240-994-1570	Alborz Soleimani-Fard
		PrEP			
PURPOSE 2	To evalulate if Lenacapavir (LEN), an investigational medicine, given every 6 months can help to reduce the chance of getting HIV through sex (PrEP, or Pre-exposure Prophylaxis)	Adults ages 18 and older; not have had an HIV test in the past 3 months; no oral PrEP in past 12 weeks or any prior use of long-acting systemic PrEP; Cisgender man, transgender or gender nonbinary individual who has receptive anal sex	Ν	443-275-0218 410-502-8320	Jessica Coleman Lewis
CHARM Study	To understand the lived experience of Black women and their sexual health thru a 45-60 minute interview.	Black women, ages 18 and over, HIV(-), sexually active in past 6 months, English speaking	N	443-596-4530	Ask for CHARM study
		HEPATITIS			
Cemiplimab Study ACTG 5368	To investigate a new therapy for Hepatitis B in patients without HIV	Adults ages 18 and older, HIV(-), on treatment for chronic hepatitis B for greater than 12 months	Ν	443-287-9606	Ask for Study 5368
Selgantolimod Study ACTG 5394	To investigate a new therapy for hepatitis B for patients with both hepatitis B and HIV	Adults ages 18-70 living with HIV and hepatitis B, on HIV and HBV meds for over 5 years, undetectable viral loads for both HIV and HBV	Ν	410-955-7538	Ask for Study 5394
Hepatitis C Study (NIH, Bethesda)	To study the course and complications of liver disease following cure of hepaitits C infection	Adults ages 18 and older who have had chronic hepatitis C for at least 6 months and are NOT living with HIV; able to travel to NIH in Bethesda	Ν	800-411-1222	Ask for Hepatitis C Study
Hepatitis C App Study	To get patient input on a new web-based app for people who have Hepatitis C	Adults ages 18 and older who have a history of hepatitis C and have received any care in an emergency room in the past 12 months	Y	443-202-3914	Ask for HCV App Study
RE-AIM RESTORE	To improve the RESTORE program based on patient feedback	Bartlett Clinic patients who have used drugs in the past or currently use drugs	Y	443-297-9375	Ask for RE-AIM RESTORE
		ADDICTION			
Heart Study (Univ of Maryland Medical Center)	To study the effects of cocaine use and/or HIV infection on the heart, brain, and other parts of the body	Adults ages 18 and older who are living with or without HIV, use cocaine or don't use cocaine	Ν	410-706-4696 HeartStudy@IHV.UMaryland.edu	Tanya Johnson
Buprenorphine Study	To determine if smartphone-delivered incentives for buprenorphine adherence and opiate abstinence is more effective than standard buprenorphine treatment	Adults currently taking buprenorphine	N	443-608-8354	Center for Learning and Health
		COVID			
ACTIV-6 COVID	To evaluate the effectiveness of repurposed medications versus placebo at decreasing symptoms for those recently diagnosed with COVID	Adults ages 30 and older who have recently been diagnosed with COVID	Ν	activ6study.org	Ask for COVID study

		ΜΡΟΧ				
STOMP (ACTG 5418)	To learn if tecovirimat (TPOXX) is a safe and effective treatment for human Mpox virus	Adults living with or without HIV and have been diagnosed with or presumed to have Mpox	Ν	410-955-2898	Alex Hessel	
DIABETES						
Diabetes Prevention Program	A qualtiy improvement progam to prevent or delay type 2 diabetes	Adults with pre-diabetes	N	410-614-2701 brancaticenter@jhmi.edu	Ask for Diabetes Prevention Program	
		HEALTHY VOLUNTEERS				
IMPACT Study	To understand how HIV affects the brain and leads to difficulties with mental abilities	Adults ages 30-70 living with or without HIV, have an undectable viral load	Ν	443-326-1965	Ask for IMPACT study	
HER Experiences	To help better understand how past experiences, and where these experiences take place, impact the sexual health and well-being of young Black women in Baltimore	Black women ages 18-25 who are at risk for HIV	N	410-635-0025	Ask for HER Experiences study	
SHARE Study	To study HIV infections and HIV therapies over a lifetime. (This is NOT a treatment study; no experimental medicines are given.)	Men living with or without HIV; ages 30-70	N	410-955-7090 866-392-8991	Ask for SHARE Study	
Vancomycin Study	To learn more about allergies to the antiobiotic Vancomycin	Adults with or without HIV, history of vancomycin use in the past five years	N	410-614-2724	Sandra Massih	
Malaria Feeders Study	To support malaria research	Men ages 18 and older who are living without HIV and not taking any prescription or OTC meds; O+ blood type	N	443-287-7156	Ask for Malaria Feeders Study	
CHARM Study	To understand the lived experience of Black women and their sexual health thru a 45-60 minute interview.	Black women ages 18 and over who are living without HIV; sexually active in past 6 months; English speaking	Ν	443-596-4530	Ask for CHARM study	
EHPOC Study	To learn more about a new technology to detect HIV and syphilis	Adults ages 18 and older who are living with or without HIV and are at risk for sexually transmitted diseases	N	443-540-0718 443-540-0560	Ask for Research Study	
Heart Study (Univ of Maryland Medical Center)	To study the effects of cocaine use and/or HIV infection on the heart, brain, and other parts of the body	Adults ages 18 and older who are living with or without HIV and use cocaine or don't use cocaine	N	410-706-4696 HeartStudy@IHV.UMaryland.edu	Tanya Johnson	
MRI Study	To study heart vessel function using MRI to learn about the association between inflammation and increased risk of cardiovascular disease. No contrast or medications given.	Healthy non-smoking adults ages 21 and older <u>OR</u> Non- smoking adults ages 21 and older who are living with HIV <u>OR</u> Non-smoking women ages 18-50 who have given birth in the last 4 months	N	240-994-1570	Alborz Soleimani-Fard	
SHARP Women	To assist women in making healthy life choices	Adult women living with or without HIV who have had more than 3 drinks containing alcohol on one occasion in last 3 months	N	410-935-7698	Ask for SHARP Women study	